ELSEVIER

Mechanisms of Development 47 (1994) 269–270

Author index

Volume 47 (1994)

Abou-Samra, A.-B., see Karperien, M. **47**, 29
Appel, L.F., see Cai, J. **47**, 139
Artavanis-Tsakonas, S., see Hing, H.K. **47**, 261
Awgulewitsch, A., see Peterson, R.L. **47**, 253

Bae, E., K.R. Cook, P.K. Geyer, R.N. Nagoshi, Molecular characterization of ovarian tumors in Drosophila **47**, 151
Bains, S., see Hosseini, R. **47**, 73
Barsacchi, G., see Demartis, A. **47**, 19
Barsacchi, G., see Iacopetti, P. **47**, 127
Beachy, P.A., see Chiang, C. **47**, 225
Becker, N., T. Seitanidou, P. Murphy, M.-G. Mattéi, P. Topilko, M.A. Nieto, D.G. Wilkinson, P. Charnay, P. Gilardi-Hebenstreit, Several receptor tyrosine kinase genes of the *Eph* family are segmentally expressed in the developing hindbrain **47**, 3
Berger, G., see Ségalat, L. **47**, 241
Boonstra, J., see Karperien, M. **47**, 29
Britten, R.J., see Yuh, C.-H. **47**, 165

Cai, J., Y. Lan, L.F. Appel, M. Weir, Dissection of the Drosophila Paired protein: Functional requirements for conserved motifs **47**, 139
Campos-Ortega, J.A., see Haenlin, M. **47**, 99
Charnay, P., see Becker, N. **47**, 3
Chiang, C., P.A. Beachy, Expression of a novel *Toll*-like gene spans the parasegment boundary and contributes to *hedgehog* function in the adult eye of Drosophila **47**, 225
Chica Schaller, H., see Fenger, U. **47**, 115
Cook, K.R., see Bae, E. **47**, 151
Cremers, F., see Karperien, M. **47**, 29
Cremisi, F., see Iacopetti, P. **47**, 127

Davda, M.M., see Peterson, R.L. **47**, 253
Davidson, E.H., see Yuh, C.-H. **47**, 165
de Jonge, M.E.J., see Jonk, L.J.C. **47**, 81
de Laat, S.W., see Karperien, M. **47**, 29
De Simone, V., see Demartis, A. **47**, 19
Defize, H.K., see Karperien, M. **47**, 29
Demartis, A., M. Maffei, R. Vignali, G. Barsacchi, V. De Simone, Cloning and developmental expression of LFB3/HNF1β transcription factor in *Xenopus laevis* **47**, 19
Dudley, K., see Hosseini, R. **47**, 73

Ellis, H.M., Embryonic expression and function of the *Drosophila* helix-loop-helix gene, *extramacrochaetae* **47**, 65

Fenger, U., M. Hofmann, B. Galliot, H. Chica Schaller, The role of the cAMP pathway in mediating the effect of head activator on nerve-cell determination and differentiation in hydra **47**, 115
Finnemann, S., see Müller, H.A.J. **47**, 213

Galliot, B., see Fenger, U. **47**, 115
Gawantka, V., T.O. Joos, P. Hausen, Aβ_1-integrin associatedα-chain is differentially expressed during Xenopus embryogenesis **47**, 199
Gendron-Maguire, M., see Schrewe, H. **47**, 43
Geyer, P.K., see Bae, E. **47**, 151
Gilardi-Hebenstreit, P., see Becker, N. **47**, 3
Gridley, T., see Schrewe, H. **47**, 43
Gudas, L.J., see Ho, L. **47**, 53

Haenlin, M., M. Kunisch, B. Kramatschek, J.A. Campos-Ortega, Genomic regions regulating early embryonic expression of the *Drosophila* neurogenic gene *Delta* **47**, 99
Harbison, M.L., see Schrewe, H. **47**, 43
Hausen, P., see Gawantka, V. **47**, 199
Hausen, P., see Müller, H.A.J. **47**, 213
Hing, H.K., X. Sun, S. Artavanis-Tsakonas, Modulation of wingless signaling by notch in *Drosophila* **47**, 261
Ho, L., M. Mercola, L.J. Gudas, *Xenopus laevis* cellular retinoic acid-binding protein: temporal and spatial expression pattern during early embryogenesis **47**, 53
Hoeijmakers, T., see Karperien, M. **47**, 29
Hofmann, M., see Fenger, U. **47**, 115
Hosseini, R., S. Ruddy, S. Bains, G. Hynes, P. Marsh, J. Pizzey, K. Dudley, The mouse t-complex gene, Tcp-11, is under translational control **47**, 73
Hynes, G., see Hosseini, R. **47**, 73

Iacopetti, P., G. Barsacchi, F. Tirone, L. Maffei, F. Cremisi, Developmental expression of PC3 gene is correlated with neuronal cell birthday **47**, 127

Jonk, L.J.C., M.E.J. de Jonge, C.E.G. Pals, S. Wissink, J.M.A. Vervaart, J. Schoorlemmer, W. Kruijer, Cloning and expression during development of three murine members of the COUP family of nuclear orphan receptors **47**, 81
Joos, T.O., see Gawantka, V. **47**, 199

Karperien, M., T.B. van Dijk, T. Hoeijmakers, F. Cremers, A.-B. Abou-Samra, J. Boonstra, S.W. de Laat, H.K. Defize, Expression pattern of parathyroid hormone/parathyroid hormone related peptide receptor mRNA in mouse postimplantation embryos indicates involvement in multiple developmental processes **47**, 29
Kramatschek, B., see Haenlin, M. **47**, 99
Kruijer, W., see Jonk, L.J.C. **47**, 81
Kuhl, M., see Müller, H.A.J. **47**, 213
Kunisch, M., see Haenlin, M. **47**, 99

Lan, Y., see Cai, J. **47**, 139
Lepesant, J.-A., see Ségalat, L. **47**, 241
Lu, S., T.L. Wise, F.H. Ruddle, Mouse homeobox gene *Dbx*: se-

quence, gene structure and expression pattern during mid-gestation **47**, 187

Maffei, L., see Iacopetti, P. **47**, 127
Maffei, M., see Demartis, A. **47**, 19
Marsh, P., see Hosseini, R. **47**, 73
Martinez, P., see Yuh, C.-H. **47**, 165
Mattéi, M.-G., see Becker, N. **47**, 3
Mercola, M., see Ho, L. **47**, 53
Müller, H.A.J., M. Kuhl, S. Finnemann, S. Schneider, S.Z. van der Poel, P. Hausen, D. Wedlich, *Xenopus* cadherins: The maternal pool comprises distinguishable members of the family **47**, 213
Murphy, P., see Becker, N. **47**, 3

Nagoshi, R.N., see Bae, E. **47**, 151
Nieto, M.A., see Becker, N. **47**, 3

Pals, C.E.G., see Jonk, L.J.C. **47**, 81
Papenbrock, T., see Peterson, R.L. **47**, 253
Peterson, R.L., T. Papenbrock, M.M. Davda, A. Awgulewitsch, The murine *Hoxc* cluster contains five neighboring *AbdB*-related hox genes that show unique spatially coordinated expression in posterior embryonic subregions **47**, 253
Pizzey, J., see Hosseini, R. **47**, 73

Ransick, A., see Yuh, C.-H. **47**, 165
Ruddle, F.H., see Lu, S. **47**, 187
Ruddy, S., see Hosseini, R. **47**, 73

Schneider, S., see Müller, H.A.J. **47**, 213
Schoorlemmer, J., see Jonk, L.J.C. **47**, 81
Schrewe, H., M. Gendron-Maguire, M.L. Harbison, T. Gridley, Mice homozygous for a null mutation of activinβ_B are viable and fertile **47**, 43
Ségalat, L., G. Berger, J.-A. Lepesant, Dissection of the *Drosophila pourquoi-pas?* promoter: Complex ovarian expression is driven by distinct follicle cell- and germ line-specific enhancers **47**, 241
Seitanidou, T., see Becker, N. **47**, 3
Sun, X., see Hing, H.K. **47**, 261

Tirone, F., see Iacopetti, P. **47**, 127
Topilko, P., see Becker, N. **47**, 3

van der Poel, S.Z., see Müller, H.A.J. **47**, 213
van Dijk, T.B., see Karperien, M. **47**, 29
Vervaart, J.M.A., see Jonk, L.J.C. **47**, 81
Vignali, R., see Demartis, A. **47**, 19

Wedlich, D., see Müller, H.A.J. **47**, 213
Weir, M., see Cai, J. **47**, 139
Wilkinson, D.G., see Becker, N. **47**, 3
Wise, T.L., see Lu, S. **47**, 187
Wissink, S., see Jonk, L.J.C. **47**, 81

Yuh, C.-H., A. Ransick, P. Martinez, R.J. Britten, E.H. Davidson, Complexity and organization of DNA-protein interactions in the 5′-regulatory region of an endoderm-specific marker gene in the sea urchin embryo **47**, 165

ELSEVIER

Mechanisms of Development 47 (1994) 271–273

Subject index

Volume 47 (1994)

Activin; Inhibin; Mesoderm **47**, 43

Adenylyl cyclase associated protein; Head activator signal transduction; cAMP pathway; Nerve-cell determination; Nerve-cell differentiation; Hydra **47**, 115

ARP-1; COUP-TF1; EAR3; EAR2; RXR; P19; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

Cadherin; *Xenopus*; Cell adhesion; Development **47**, 213

cAMP pathway; Head activator signal transduction; Adenylyl cyclase associated protein; Nerve-cell determination; Nerve-cell differentiation; Hydra **47**, 115

Cell adhesion; *Xenopus*; Development; Cadherin **47**, 213

Cellular retinoic acid binding protein; Retinoic acid; Central nervous system; *Xenopus laevis* **47**, 53

Central nervous system; Retinoic acid; Cellular retinoic acid binding protein; *Xenopus laevis* **47**, 53

Chemosensory mother cells; *Notch*; *Wingless*; Genetic interaction; Wing development **47**, 261

COUP-TF1; EAR3; ARP-1; EAR2; RXR; P19; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

Dbx; In situ hybridization; Embryo development **47**, 187

Delta; *Drosophila*; Neurogenesis; Transcriptional regulation **47**, 99

Development; *Xenopus*; Cell adhesion; Cadherin **47**, 213

DNA-protein interaction; Gene regulation; Embryogenesis; Gene transfer; Endo16; Sea urchin embryo **47**, 165

Drosophila *paired*; Paired domain; PRD repeat; Proline rich; Transcriptional activation **47**, 139

Drosophila; HLH protein; Malpighian tubules; *Extramacrochaetae* **47**, 65.

Drosophila; Neurogenesis; *Delta*; Transcriptional regulation **47**, 99

Drosophila; Oogenesis; Promoter **47**, 241

Drosophila; Ovarian tumor; Germline; Oogenesis; Sex determination **47**, 151

EAR2; COUP-TF1; EAR3; ARP-1; RXR; P19; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

EAR3; COUP-TF1; ARP-1; EAR2; RXR; P19; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

Early embryogenesis; Xenopus; Integrin; Extracellular matrix **47**, 199

Embryo development; *Dbx*; In situ hybridization **47**, 187

Embryogenesis; COUP-TF1; EAR3; ARP-1; EAR2; RXR; P19; Retinoic acid; In situ hybridization **47**, 81

Embryogenesis; Gene regulation; Gene transfer; Endo16; DNA-protein interaction; Sea urchin embryo **47**, 165

Endo16; Gene regulation; Embryogenesis; Gene transfer; DNA-protein interaction; Sea urchin embryo **47**, 165

Eph; Hindbrain; Rhombomere; Segmentation; Tyrosine kinase; *Sek* **47**, 3

Extracellular matrix; Xenopus; Integrin; Early embryogenesis **47**, 199

Extramacrochaetae; HLH protein; *Drosophila*; Malpighian tubules **47**, 65

Gene regulation; Embryogenesis; Gene transfer; Endo16; DNA-protein interaction; Sea urchin embryo **47**, 165

Gene transfer; Gene regulation; Embryogenesis; Endo16; DNA-protein interaction; Sea urchin embryo **47**, 165

Genetic interaction; *Notch*; *Wingless*; Chemosensory mother cells; Wing development **47**, 261

Germline; Ovarian tumor; Oogenesis; *Drosophila*; Sex determination **47**, 151

Head activator signal transduction; cAMP pathway; Adenylyl cyclase associated protein; Nerve-cell determination; Nerve-cell differentiation; Hydra **47**, 115

Hedgehog; Receptor; Parasegment boundary; Leucine-rich repeats; Segment polarity; Homeotic **47**, 225

Hindbrain; Rhombomere; Segmentation; Tyrosine kinase; *Eph*; *Sek* **47**, 3

HLH protein; *Drosophila*; Malpighian tubules; *Extramacrochaetae* **47**, 65

Homeodomain; Transcription factors; Pattern formation; Retinoic-acid-response **47**, 19

Homeotic; *Hedgehog*; Receptor; Parasegment boundary; Leucine-rich repeats; Segment polarity **47**, 225

Hoxc-11; Hoxc-12; Hoxc-13; Limb development; Mouse **47**, 253

Hoxc-12; Hoxc-11; Hoxc-13; Limb development; Mouse **47**, 253

Hoxc-13; Hoxc-11; Hoxc-12; Limb development; Mouse **47**, 253

Hydra; Head activator signal transduction; cAMP pathway; Adenylyl cyclase associated protein; Nerve-cell determination; Nerve-cell differentiation **47**, 115

In situ hybridization; *Dbx*; Embryo development **47**, 187

In situ hybridization; COUP-TF1; EAR3; ARP-1; EAR2; RXR; P19; Retinoic acid; Embryogenesis **47**, 81

In situ hybridization; Parathyroid hormone/parathyroid hormone related peptide receptor; Parathyroid hormone related peptide; Parietal endoderm; Organogenesis **47**, 29

In situ hybridization; PC3; Neurogenesis; Neuronal cell birthday **47**, 127

Inhibin; Activin; Mesoderm **47**, 43

Integrin; Xenopus; Early embryogenesis; Extracellular matrix **47**, 199

Leucine-rich repeats; *Hedgehog*; Receptor; Parasegment boundary; Segment polarity; Homeotic **47**, 225

Limb development; Hoxc-11; Hoxc-12; Hoxc-13; Mouse **47**, 253

Malpighian tubules; HLH protein; *Drosophila*; *Extramacrochaetae* **47**, 65

Mesoderm; Activin; Inhibin **47**, 43

Mouse; Hoxc-11; Hoxc-12; Hoxc-13; Limb development **47**, 253

Mouse; T-complex; *Tcp-11*; Testis **47**, 73

Nerve-cell determination; Head activator signal transduction; cAMP pathway; Adenylyl cyclase associated protein; Nerve-cell differentiation; Hydra **47**, 115

Nerve-cell differentiation; Head activator signal transduction; cAMP pathway; Adenylyl cyclase associated protein; Nerve-cell determination; Hydra **47**, 115

Neurogenesis; *Drosophila*; *Delta*; Transcriptional regulation **47**, 99

Neurogenesis; PC3; In situ hybridization; Neuronal cell birthday **47**, 127

Neuronal cell birthday; PC3; Neurogenesis; In situ hybridization **47**, 127

Notch; *Wingless*; Genetic interaction; Chemosensory mother cells; Wing development **47**, 261

Oogenesis; *Drosophila*; Promoter **47**, 241

Oogenesis; Ovarian tumor; Germline; *Drosophila*; Sex determination **47**, 151

Organogenesis; Parathyroid hormone/parathyroid hormone related peptide receptor; Parathyroid hormone related peptide; Parietal endoderm; In situ hybridization **47**, 29

Ovarian tumor; Germline; Oogenesis; *Drosophila*; Sex determination **47**, 151

P19; COUP-TF1; EAR3; ARP-1; EAR2; RXR; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

Paired domain; Drosophila *paired*; PRD repeat; Proline rich; Transcriptional activation **47**, 139

Parasegment boundary; *Hedgehog*; Receptor; Leucine-rich repeats; Segment polarity; Homeotic **47**, 225

Parathyroid hormone related peptide; Parathyroid hormone/parathyroid hormone related peptide receptor; Parietal endoderm; In situ hybridization; Organogenesis **47**, 29

Parathyroid hormone/parathyroid hormone related peptide receptor; Parathyroid hormone related peptide; Parietal endoderm; In situ hybridization; Organogenesis **47**, 29

Parietal endoderm; Parathyroid hormone/parathyroid hormone related peptide receptor; Parathyroid hormone related peptide; In situ hybridization; Organogenesis **47**, 29

Pattern formation; Homeodomain; Transcription factors; Retinoic-acid-response **47**, 19

PC3; Neurogenesis; In situ hybridization; Neuronal cell birthday **47**, 127

PRD repeat; Drosophila *paired*; Paired domain; Proline rich; Transcriptional activation **47**, 139

Proline rich; Drosophila *paired*; Paired domain; PRD repeat; Transcriptional activation **47**, 139

Promoter; *Drosophila*; Oogenesis **47**, 241

Receptor; *Hedgehog*; Parasegment boundary; Leucine-rich repeats; Segment polarity; Homeotic **47**, 225

Retinoic acid; Cellular retinoic acid binding protein; Central nervous system; *Xenopus laevis* **47**, 53

Retinoic acid; COUP-TF1; EAR3; ARP-1; EAR2; RXR; P19; Embryogenesis; In situ hybridization **47**, 81

Retinoic-acid-response; Homeodomain; Transcription factors; Pattern formation **47**, 19

Rhombomere; Hindbrain; Segmentation; Tyrosine kinase; *Eph*; *Sek* **47**, 3

RXR; COUP-TF1; EAR3; ARP-1; EAR2; P19; Retinoic acid; Embryogenesis; In situ hybridization **47**, 81

Sea urchin embryo; Gene regulation; Embryogenesis; Gene transfer; Endo16; DNA-protein interaction **47**, 165

Segment polarity; *Hedgehog*; Receptor; Parasegment boundary; Leucine-rich repeats; Homeotic **47**, 225

Segmentation; Hindbrain; Rhombomere; Tyrosine kinase; *Eph*; *Sek* **47**, 3

Sek; Hindbrain; Rhombomere; Segmentation; Tyrosine kinase; *Eph* **47**, 3

Sex determination; Ovarian tumor; Germline; Oogenesis; *Drosophila* **47**, 151

T-complex; *Tcp-11*; Testis; Mouse **47**, 73

Tcp-11; T-complex; Testis; Mouse **47**, 73

Testis; T-complex; *Tcp-11*; Mouse **47**, 73

Transcription factors; Homeodomain; Pattern formation; Retinoic-acid-response **47**, 19

Transcriptional activation; Drosophila *paired*; Paired domain; PRD repeat; Proline rich **47**, 139

Transcriptional regulation; *Drosophila*; Neurogenesis; *Delta* **47**, 99

Tyrosine kinase; Hindbrain; Rhombomere; Segmentation; *Eph*; *Sek* **47**, 3

Wing development; *Notch*; *Wingless*; Genetic interaction; Chemosensory mother cells **47**, 261

Wingless; *Notch*; Genetic interaction; Chemosensory mother cells; Wing development **47**, 261

Xenopus; Integrin; Early embryogenesis; Extracellular matrix **47**, 199

Xenopus laevis; Retinoic acid; Cellular retinoic acid binding protein; Central nervous system **47**, 53

Xenopus; Cell adhesion; Development; Cadherin **47**, 213